

Topic 6

Functions and Graphs

1. (a) Sketch the graph of $y = -(x-3)(x+1)$. [2]



- (b) Write down the equation of the line of symmetry of the graph. [1]
 (c) Find the coordinates of the maximum point. [1]

(N2011/P1/Q21)

2. *Answer the whole of this question on a sheet of graph paper.*

The variables x and y are connected by the equation

$$y = \frac{1}{5}x^2(x-4).$$


Some corresponding values of x and y are given in the following table.

x	-2	-1	0	1	2	3	4	5
y	p	-1	0	-0.6	-1.6	-1.8	0	5

- (a) Find the value of p . [1]
 (b) Using a scale of 2 cm to 1 unit, draw a horizontal x -axis for $-2 \leq x \leq 5$.
 Using a scale of 1 cm to 1 unit, draw a vertical y -axis for $-6 \leq y \leq 6$.
 On your axes, plot the points given in the table and join them with a smooth curve. [3]
 (c) Use your graph to find three solutions of $\frac{1}{5}x^2(x-4) = -1$. [2]
 (d) By drawing a tangent, find the gradient of the curve at the point (4, 0). [2]
 (e) (i) On the same axes, draw the line $y = 4 - 2x$ for $0 \leq x \leq 5$. [2]
 (ii) Write down the x -coordinate of the point where this line intersects the curve. [1]
 (iii) This value of x is a solution of the equation $x^3 - 4x^2 + Ax + B = 0$.
 Find the value of A and the value of B . [2]

(N2011/P2/Q9)

3. The sketch shows the graph of $y = ka^x$.
The points $(0, 5)$ and $(6, 320)$ lie on the graph.



Find the values of k and a .

[2]
(N2012/P1/Q5)

4. *Answer the whole of this question on a sheet of graph paper.*
The variables x and y are connected by the equation

$$y = \frac{x^3}{20} + \frac{10}{x} - 5.$$

Some corresponding values of x and y , correct to 2 decimal places, are given in the table below.

x	1	2	3	4	5	6
y	5.05	0.40	-0.32	0.70	3.25	p

- (a) Calculate the value of p . [1]
- (b) Using a scale of 2 cm to represent 1 unit, draw a horizontal x -axis for $1 \leq x \leq 6$.
Using a scale of 1 cm to represent 1 unit, draw a vertical y -axis for $-1 \leq y \leq 8$.
On your axes, plot the points given in the table and join them with a smooth curve. [3]
- (c) Use your graph to find the solutions to the equation $\frac{x^3}{20} + \frac{10}{x} = 5$,
in the range $1 \leq x \leq 6$. [2]
- (d) By drawing a tangent, find the gradient of the curve at $(4, 0.70)$. [2]
- (e) Use your graph to find the coordinates of the minimum point of
 $y = \frac{x^3}{20} + \frac{10}{x} - 5$, in the range $1 \leq x \leq 6$. [2]
- (N2012/P2/Q7)
5. (a) Express $x^2 - 8x + 14$ in the form $(x - p)^2 - q$. [1]
- (b) Hence write down the minimum value of $x^2 - 8x + 14$. [1]
- (c) Write down the equation of the line of symmetry of the graph of $y = x^2 - 8x + 14$. [1]
- (N2013/P1/Q10)


TOPIC 6 Functions and Graphs

6.

$y = x^3 - 5$	$y = 5 - x^3$	$y = 5^x$
$y = 5 - x^2$	$y = x^2 + 5$	$y = x^3 + 5$


Write down a possible equation for each of the sketch graphs below.
In each case, select one of the equations from the box above.

(a)




[1]

(b)



[1]

(c)



[1]
(N2013/P1/Q12)

7. Answer the whole of this question on a sheet of graph paper.

A stone is thrown from the top of a cliff next to the sea. The height, h metres, of the stone above sea level t seconds after it is released can be modeled by the equation $h = 80 + 16t - 5t^2$.

Some corresponding values of t and h are given in the table below.

t	0	1	2	3	4	5	6
h	80	91	92	83	64	35	p

- (a) Calculate the value of p . [1]
- (b) Using a scale of 2 cm to represent 1 seconds, draw a horizontal t -axis for $0 \leq t \leq 6$.
Using a scale of 1 cm to represent 10 metres, draw a vertical h -axis for $-20 \leq h \leq 100$.
On your graph, plot the points given in the table and join them with a smooth curve. [3]
- (c) Use your graph to estimate
- the maximum height of the stone above sea level, [1]
 - the length of time that the stone was more than 85 m above sea level, [2]
 - the time taken for the stone to hit the water. [1]
- (d) By drawing a tangent, find the gradient of the curve at (4, 64). [3]
State the units of your answer. [3]

(N2013/P2/Q5)

8. Answer the whole of this question on a sheet of graph paper.

The variables x and y are connected by the equation

$$y = \frac{x}{5}(2 + 4x - x^2).$$

Some corresponding values of x and y are given in the table below.

x	-3	-2	-1	0	1	2	3	4	5
y	p	4	0.6	0	1	2.4	3	1.6	-3

- (a) Find the value of p . [1]
- (b) Using a scale of 2 cm to represent 1 unit, draw a horizontal x -axis for $-3 \leq x \leq 5$.
Using a scale of 1 cm to represent 1 unit, draw a vertical y -axis for $-4 \leq y \leq 12$.
On your axes, plot the points given in the table and join them with a smooth curve. [3]
- (c) Use your graph to find the solutions of $\frac{x}{5}(2 + 4x - x^2) = 2$. [2]
- (d) By drawing a tangent, find the gradient of the curve at the point $(-2, 4)$. [2]
- (e) (i) On the same axes, draw the line $3y = 2x - 6$ for $-3 \leq x \leq 5$. [2]
(ii) Write down the coordinates of the point where the line intersects the curve. [1]

(N2014/P2/Q3)

TOPIC 6 Functions and Graphs


9. Answer the whole of this question on a sheet of graph paper.
The variables x and y are connected by the equation

$$y = \frac{x^2}{5} + \frac{4}{x} - 3.$$

Some corresponding values of x and y , correct to two decimal places, are given in the table below.

x	0.5	1	1.5	2.0	2.5	3	4	5	6
y	p	1.20	0.12	-0.20	-0.15	0.13	1.20	2.80	4.87

- (a) Find the value of p . [1]
- (b) Using a scale of 2 cm to represent 1 unit on each axis, draw a horizontal x -axis for $0 \leq x \leq 6$ and a vertical y -axis for $-2 \leq y \leq 6$.
On your axes, plot the points given in the table and join them with a smooth curve. [3]
- (c) Use your graph to find the solutions to the equation $\frac{x^2}{5} + \frac{4}{x} = 3$ in the range $0 \leq x \leq 6$. [2]
- (d) By drawing a tangent, find the gradient of the curve at $(4, 1.20)$. [2]
- (e) (i) On the same axes, draw the line with gradient -1.5 that passes through the point with coordinates $(2, 1)$. [1]
(ii) Write down the equation of this line. [1]
(iii) Write down the coordinates of the points where the line intersects the curve. [2]
- (N2015/P2/Q4)
10. (a) Express $9 - 8x + x^2$ in the form $p + (x + q)^2$. [2]
(b) Write down the coordinates of the minimum point of the graph of $y = 9 - 8x + x^2$. [1]
(N2016/P1/Q11)
11. The sketch shows the graph of $y = k\alpha^{-x}$.
The points $A(-2, 100)$ and $B(0, 4)$ lie on the graph.



- (a) Find the values of k and α . [2]
(b) A straight line is drawn from A to B .
Find the equation of the line AB . [2]

(N2016/P1/Q17)


12. Answer the whole of this question on a sheet of graph paper.
The variables x and y are connected by the equation

$$y = \frac{x^3}{2} - 5x - 2.$$

Some corresponding values of x and y are given in the table below.

x	-3	-2	-1	0	1	2	3	4
y	p	4	2.5	-2	-6.5	-8	-3.5	10


- (a) Find the value of p . [1]
- (b) Using a scale of 2 cm to represent 1 unit, draw a horizontal x -axis for $-3 \leq x \leq 4$.
Using a scale of 1 cm to represent 2 units, draw a vertical y -axis for $-10 \leq y \leq 12$.
On your axes, plot the points given in the table and join them with a smooth curve. [3]
- (c) The equation $\frac{x^3}{2} - 5x = 8$ has only one solution.
Explain how this can be seen from your graph. [2]
- (d) By drawing a tangent, find the gradient of the curve at $(1, -6.5)$. [2]
- (e) (i) On the same axes, draw the line $y = 4 - 3x$ for $-1 \leq x \leq 4$. [2]
(ii) Write down the x -coordinate of the point where this line intersects the curve. [1]
(iii) This value of x is a solution of the equation $x^2 + Ax + B = 0$.
Find the value of A and the value of B . [2]
- (N2016/P2/Q5)
13. Sketch the graph of $y = -(x - 8)(x + 3)$ on the axes below.
Indicate clearly the values where the graph crosses the x - and y - axes.



[2]
(N2017/P1/Q4)

TOPIC 6 Functions and Graphs

14. The graphs of $y = 2x^2 - 3x - 7$ and $y = 5 - 2x$ are drawn on the grid.



- (a) Explain why the equation $2x^2 - 3x - 7 = k$ does not have solutions for some values of k . [1]
 - (b) The points of intersection of the curve and the straight line give the solutions of a quadratic equation.
Find the quadratic equation, giving your answer in the form $ax^2 + bx + c = 0$. [1]
 - (c) The equation $2x^2 - 6x - 3 = 0$ can be solved by drawing a suitable straight line on the grid.
 - (i) Find the equation of the straight line. [1]
 - (ii) By drawing this straight line, solve the equation $2x^2 - 6x - 3 = 0$. [3]
- (N2017/P1/Q21)

15. Answer the whole of this question on a sheet of graph paper.

A number of bacteria are introduced to a culture.

The number of bacteria, y , in the culture t hours after they are first introduced is given by the formula

$$y = 50 \times 2^t.$$

The table shows some corresponding values of t and y , correct to 3 significant figures.


t	0.5	1	1.5	2	2.5	3	3.5	4
y	p	100	141	200	283	400	566	800

- (a) How many bacteria are introduced to the culture at the start? [1]
- (b) Calculate the value of p . [1]

- (c) Using a scale of 4 cm to represent 1 hour, draw a horizontal t -axis for $0 \leq t \leq 4$.
 Using a scale of 2 cm to represent 100 bacteria, draw a vertical y -axis for $0 \leq y \leq 800$.
 On your axes, draw a graph to show the number of bacteria in the culture for $0 \leq t \leq 4$. [3]
- (d) Use your graph to find how many hours it takes for the number of bacteria to reach 500. [1]
- (e) (i) By drawing a tangent, find the gradient of the curve at (2, 200). [2]
 (ii) What does this gradient represent? [1]

(N2017/P2/Q3)

16. The graph of $y = \frac{1}{2}(x - x^2)$ is drawn on the grid.




- (a) Write down the equation of the line of symmetry of the curve. [1]
- (b) Use the graph to solve the equation $x - x^2 = -4$. [2]
- (c) The point P has coordinates $(-2, 5)$.
 A tangent to the curve can be drawn so that the tangent passes through P .
 (i) Draw this tangent on the grid above. [1]
 (ii) Find the equation of this tangent. [2]

(N2018/P1/Q23)

TOPIC 6 Functions and Graphs

17. Sketch the graph of $y = -(x - 2)^2 + 9$ on the axes below. Indicate clearly the coordinates of the points where the graph crosses the axes and the maximum point on the curve.




[3]
(N2019/P1/Q15)

18. The variables x and y are connected by the equation $y = \frac{x^3}{5} - 2x + 1$. Some corresponding values of x and y are given in the table below.

x	-4	-3	-2	-1	0	1	2	3	4
y	p	1.6	3.4	2.8	1	-0.8	-1.4	0.4	5.8

- (a) Find the value of p . [1]
(b) On the grid opposite, draw the graph of $y = \frac{x^3}{5} - 2x + 1$ for $-4 \leq x \leq 4$. [3]
(c) Use your graph to write down an inequality in x to describe the range of values where $y > 4$. [1]
(d) (i) On the same grid, draw the graph of $5y + x = 10$ for $-4 \leq x \leq 4$. [2]
(ii) Show that the points of intersection of the line and the curve give the solutions of the equation $x^3 - 9x - 5 = 0$. [2]
(iii) Use your graphs to solve the equation $x^3 - 9x - 5 = 0$. [2]



(N2019/P2/Q4)